

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

RESIDUE MANAGEMENT, NO TILL AND STRIP TILL

(Acre)

CODE 329A

DEFINITION

Managing the amount, orientation and distribution of crop and other plant residues on the soil surface year-round, while growing crops in narrow slots or tilled strips in previously untilled soil and residue.

PURPOSES

This practice may be applied as part of a conservation management system to support one or more of the following:

- Reduce sheet and rill erosion.
- Reduce wind erosion.
- Maintain or improve soil organic matter content.
- Conserve soil moisture.
- Manage snow to increase plant available moisture or reduce plant damage from freezing or desiccation.
- Provide food and escape cover for wildlife.

CONDITIONS WHERE PRACTICE APPLIES

This practice applies to all cropland and other land where crops are grown.

This standard includes tillage and planting methods commonly referred to as no till, zero till, slot plant, row till, zone till, or strip till.

CRITERIA

General Criteria Applicable to All Purposes Named Above

Loose residues to be retained on the field, shall be uniformly distributed on the soil surface. Where combines or similar machines are used for harvesting, they shall be equipped with spreaders

capable of distributing residue over at least 80 percent of the working width of the header.

Residues shall not be burned, or disturbed by full width tillage operations except as follows:

Planters or drills shall be equipped to plant directly through untilled residue or in a tilled seedbed prepared in a narrow strip along each row by planter attachments such as rotary tillers, sweeps, multiple coulters, or row cleaning devices.

If row cultivation or spot treatment for weed escapes, leveling ruts, or similar operations become necessary, tillage shall be limited to operations which minimize burial of surface residue.

Additional Criteria to Reduce Sheet and Rill Erosion

The amount of residue needed to reduce erosion within the soil loss tolerance (T) or any other planned soil loss objective, shall be determined using current approved erosion prediction technology. Partial removal of residue by means such as baling or grazing shall be limited to retain the amount needed. Calculations shall account for the effects of other practices in the conservation management system.

Seedbed preparation, planting, and fertilizer placement shall disturb no more than one fourth of the row width. The row area formed by the planting operation shall be level with or slightly above the adjacent row middles unless the rows are planted on the contour.

Additional Criteria to Reduce Wind Erosion

The amount and orientation of residue needed to reduce erosion within the soil loss tolerance (T) or other planned soil loss objective shall be determined using current approved wind erosion prediction technology. Partial removal of residue by means

NRCS-Minnesota
August 1999

Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current version of this standard, contact the Natural Resources Conservation Service.

such as baling or grazing shall be limited to retain the amount needed. Calculations shall account for the effects of other practices in the conservation management system.

Additional Criteria to Maintain or Improve Soil Organic Matter Content

The amount of residue needed to achieve the desired soil condition shall be determined on a field by field basis. Partial removal of residue by means such as baling or grazing shall be limited to retain the amount needed. Calculations shall account for the effects of other practices in the conservation management system.

Additional Criteria to Conserve Soil Moisture

A minimum quantity of 50 percent residue cover shall be maintained throughout the year. Residue shall be evenly distributed and maintained on the soil surface. Partial removal of residue by means such as baling or grazing shall be limited to retain the amount needed.

Additional Criteria to Manage Snow to Increase Plant Available Moisture or Reduce Plant Damage From Freezing or Desiccation

Stubble shall be left standing as high as possible by the harvesting operation, but not less than 6 inches in any case. Stubble shall be maintained standing over winter to trap and retain snow. Loose residue may be removed providing that the remaining residue is left standing.

When crops are planted in the fall, the width of the tilled strip or slot shall be no more than one fourth of the row width, in order to reduce the disturbance of standing stubble.

Additional Criteria to Provide Food and Escape Cover for Wildlife

Residue height, amount, and time period shall be determined using an approved habitat evaluation procedure. Residues shall not be removed unless it is determined by the habitat evaluation procedure that removal would not adversely affect habitat values.

CONSIDERATIONS

No till or strip till may be practiced continuously throughout the crop sequence, or may be managed as part of a system which includes other tillage and planting methods such as mulch till.

Production of adequate amounts of crop residues necessary for the proper functioning of this practice can be enhanced by selection of high residue producing crops and crop varieties in the rotation, use of cover crops, and adjustment of plant populations and row spacings.

Maintaining a continuous no till or strip till system will maximize the improvement of soil organic matter content. Also, when no till is practiced continuously, soil reconsolidation provides additional resistance to sheet and rill erosion. Alternating high and low residue crops in the crop rotation will facilitate management of this system.

The effectiveness of stubble to trap snow or reduce plant damage from freezing or desiccation increases with stubble height. Variable height stubble patterns may be created to further increase snow storage.

The value of residues for wildlife habitat can be enhanced by leaving rows of unharvested crop standing at intervals across the field.

PLANS AND SPECIFICATIONS

Specifications for establishment and operation of this practice shall be prepared for each field or treatment unit according to the Criteria, Considerations, and Operation and Maintenance described in this standard. Specifications shall be recorded using approved specification sheets, job sheets, narrative statements in the conservation plan, or other acceptable documentation.

OPERATION AND MAINTENANCE

No operation and maintenance requirements, national in scope, have been identified for this practice.

Reference

Crop Residue management Systems for the Upper Midwest: A guide for Implementation with Crop Production and Environmental Quality Perspectives. Minnesota Natural Resources Conservation Service and Minnesota Cooperative Extension Service.

